AIR HAMMER GREEN

Tested according ISO 1402



APPLICATION:

- Premium high quality hose for air tool applications on construction sites
- Tough, durable and ready for the hard work
- Can also be used as in-plant air and water hose
- Also available in red, yellow and blue cover

TEMPERATURE RANGE:

- -40°F to +203°F
- -40°C to + 95°C

BURST PRESSURE:

4:1

MATERIAL TUBE :

- Black, smooth and seamless EPDM rubber
- Extruded

REINFORCEMENTS:

- 4 spiral polyester yarn
- High tensile strength

MATERIAL COVER:

- Green EPDM rubber compound
- Extruded
- Very good heat, abrasion, weather and ozone resistant

BRANDING:

GOODALL AIR HAMMER.
300PSI/20BAR WP (size).
MADE IN USA

STANDARD LENGTHS:

- Continuous long lengths on 700ft reels
- Fixed coil lengths of 50ft

AIR HAMMER GREEN

ID		OD		maximum working pressure		minimum burst pressure		minimum bend radius		weight	
mm	inch	mm	inch	bar	psi	bar	psi	mm	inch	kg/m	lb./ft.
19	3/4"	29,21	1,15	20,0	300	80	1200	13,7	36,8	24	0,16

All data at 68°F/20°C

AIR HAMMER • 300PSI/20BAR WP 3/4" DN19 • MADE IN USA

All information contained on this datasheet is subject to change without prior notice. GOODALL MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, IN-CLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Buyer/end-user is responsible for determining whether the Goodall product is fit for a particular purpose and suitable for buyer's/user's method of use or application. Failure to follow procedures for selection, installation, care, maintenance and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Goodall or any of its affiliates or subsidiaries shall not be subject to and disclaims any obligations or liabilities (including but not limited to all consequential, incidental and contingent damages) arising from tort claims (including without limitation negligence and strict liability) or other theories of law.