



# INFERNO

## Steam Hose N2711

### APPLICATION AND KEY POINTS:

- Developed for use in construction, chemical and petroleum industries
- Best value in terms of performance relative to price
- Easy identification by its red cover and yellow mylar stripe
- Can also be used as a hot water transfer hose
- High-pressure steam hose for saturated steam at 450°F

### TEMPERATURE RANGE:

- -40°F to +450°F

### BURST PRESSURE:

- Minimum 10:1

### MATERIAL TUBE:

- Smooth, seamless extruded Chlorobutyl (CIIR)
- Excellent resistance to popcorning and blistering

### REINFORCEMENTS:

- Multiple high-tensile brass-plated steel wire braids
- Brass-plated wires provide excellent corrosion resistance and improved adhesion

### MATERIAL COVER:

- Red EPDM
- Excellent abrasion, weather, and ozone resistance
- Pin-pricked to resist cover blistering

### BRANDING:

- Yellow spiral mylar stripe: GOODALL® N2711 INFERNO  
• STEAM 250 PSI 450°F
- Embossed stripe: N2711 INFERNO 250 PSI MAX WP  
• 450°F MAX TEMP • 10001 • \* • CAUTION TIGHTEN CLAMPS BEFORE USING • REFER TO INDUSTRY RECOMMENDATIONS FOR PROPER CARE

\* Year - Month

### STANDARD LENGTHS:

- 1/2, 3/4 and 1 inch: 50 feet
- All other sizes: 100 feet

### TECHNICAL SPECIFICATIONS

ID (in)	OD (in)	Max WP (psi)	Min BR (in)	Weight (lb/ft)
1/2	1.02	250	2.5	0.41
3/4	1.27	250	4.0	0.57
1	1.55	250	5.0	0.75
1 1/4	1.79	250	6.0	0.90
1 1/2	2.04	250	7.0	1.05
2	2.59	250	10.0	1.52
3	3.71	250	16.0	2.83

All data at 68° F

**LAYLINE:**  **N2711 INFERNO • STEAM**  

All information contained on this datasheet is subject to change without prior notice. GOODALL MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Buyer/end-user is responsible for determining whether the Goodall product is fit for a particular purpose and suitable for buyer's/user's method of use or application. Failure to follow procedures for selection, installation, care, maintenance, and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Goodall or any of its affiliates or subsidiaries shall not be subject to and disclaims any obligations or liabilities (including but not limited to all consequential, incidental, and contingent damages) arising from tort claims (including without limitation negligence and strict liability) or other theories of law.